

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Elektrolyte AE 26

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Cleaning agent for refined steel
For industrial purposes only

1.3 Details of the supplier of the safety data sheet

Company name: Schilling Marking Systems GmbH

Street/POB-No.: In Grubenäcker 1

Postal Code, city: 78532 Tuttlingen

Germany

WWW: www.schilling-marking.de

E-mail: info@schilling-marking.de

Telephone: +49 (0)7461 9472-17

Telefax: +49 (0)7461 9472-29

Dept. responsible for information:

Herr Andreas Schilling,

Telephone: +49 (0)7461 9472-15, Email: info@schilling-marking.de

1.4 Emergency telephone number

Beratungsstelle für Vergiftungserscheinungen, Berlin,
Telephone: +49 (0)30 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

This preparation is classified as not hazardous.

2.2 Label elements

Labelling (67/548/EEC or 1999/45/EC)

R phrase(s): not applicable

S phrase(s): S 24/25 Avoid contact with skin and eyes.

Text for labelling: A corrosive effect cannot be ruled out because of the pH value.
Contains anionic tenside <5%.

2.3 Other hazards

Eye contact: May cause irritations.

A corrosive effect cannot be ruled out because of the pH value.

Cleaning work: Product may release corrosive gases/vapours.

Elektrolyte AE 26

Material number 22.026

Version 8 / Page 2 of 8

SECTION 3: Composition/ information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterization (preparation):

A mixture of water, mineral acids and complexing agent

Hazardous ingredients:

Ingredient	Chemical name	Content	Classification
EINECS 231-633-2 CAS 7664-38-2	Phosphoric acid	1-10 %	EU: C; R34. CLP: Met. Corr. 1; H290. Skin Corr. 1B; H314.

Additional information: Labelling for contents according to regulation (EC) No 648/2004, annex 7:
Contains anionic tenside <5%.

SECTION 4: First aid measures**4.1 Description of first aid measures**

General information: Remove contaminated clothing.

After inhalation: Provide fresh air. Seek medical treatment in case of troubles.

In case of skin contact: Immediately clean with water and soap and, if available, apply a generous amount of polyethylene glycol 400. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After swallowing: Rinse mouth and drink large quantities of water.
Do not induce vomiting. Risk of perforation! Immediately get medical attention.**4.2 Most important symptoms and effects, both acute and delayed**

After inhalation: May cause irritations.

After contact with skin: May cause irritations.

After eye contact: May cause irritations.

4.3 Indication of any immediate medical attention and special treatment needed

Risk of foam aspiration when vomiting.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media:

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

5.2 Special hazards arising from the substance or mixture

On heating or in case of fire toxic gases may form.

In the event of a fire, the following may be produced when the water evaporates:

Phosphorus oxides.

Hydrogen may form upon contact with metals (danger of explosion!).

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information: Hazchem-Code: 2R
Use water spray jet to knock down vapours.
Do not allow fire water to penetrate into surface or ground water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe vapour/aerosol.
Avoid contact with the substance. Wear suitable protective clothing.

6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.
Use soda or another alkaline detergent for removal of residues.

6.4 Reference to other sections

Refer additionally to chapter 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling Provide adequate ventilation, and local exhaust as needed.
Do not breathe vapour/aerosol. Avoid contact with skin and eyes.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Store containers tightly closed in a cool, dry, well ventilated area at temperatures not below 0°C °C.

Protect from frost.

Unsuitable materials: metal.

Storage class: 8B= Non-combustible corrosive substances

7.3 Specific end use(s)

Cleaning agent for refined steel

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

CAS No.	Chemical name	Type	Limit value
7664-38-2	Phosphoric acid	Great Britain: WEL-TWA	1 mg/m ³
		Great Britain: WEL-STEL	2 mg/m ³
		Europe: IOELV: TWA	1 mg/m ³
		Europe: IOELV: STEL	2 mg/m ³

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Elektrolyte AE 26

Material number 22.026

Version 8 / Page 4 of 8

Occupational exposure controls

- Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded.
Combination filtering device (EN 14387), filter type B-P2
- Hand protection: Protective gloves according to EN 374.
Glove material: Nitrile rubber-Layer thickness: $\geq 0,35$ mm
Possible alternatives: natural rubber, butyl caoutchouc (butyl rubber), fluoro rubber.
Breakthrough time: > 480 min.
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
- Eye protection: Tightly sealed goggles according to EN 166.
- Body protection: Wear suitable protective clothing.
- General protection and hygiene measures:
Persons working with this product should not wear contact lenses.
Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Remove contaminated clothing. Do not breathe vapour/aerosol.
Wash hands before breaks and after work.
Have eye wash bottle or eye rinse ready at work place.

Consumer exposure controls

Combination filtering device (EN 14387), filter type B-P2

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Physical state:	liquid
Colour	colourless, clear
Odour:	characteristic
Boiling temperature / boiling range	approx. 100 °C
Melting point / melting range	approx. 0 °C
Flash point / flash point range:	not combustible
pH value:	at 20 °C: 1,6
Water solubility:	at 20 °C: infinitely soluble

9.2 Other information

No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

Risk of corrosion

10.2 Chemical stability

Product is stable under normal storage conditions.

10.3 Possibility of hazardous reactions

Hydrogen may form upon contact with metals (danger of explosion!).

10.4 Conditions to avoid

Protect from excessive heat.

10.5 Incompatible materials

Alkalis, metallic oxides, iron, steel, aluminium, ferruginous compounds

10.6 Hazardous decomposition products

In the event of a fire, the following may be produced when the water evaporates:
Phosphorus oxides.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects

Acute toxicity (oral): Based on available data, the classification criteria are not met.
Acute toxicity (dermal): Based on available data, the classification criteria are not met.
Acute toxicity (inhalative): Lack of data.
Skin corrosion/irritation: Inconclusive data.
Classification according to EC regulation 1272/2008 (CLP), appendix VI.
Eye damage / irritation: Inconclusive data.
Classification according to EC regulation 1272/2008 (CLP), appendix VI.
Sensitisation to the respiratory tract: Lack of data.
Skin sensitisation: Lack of data.
Germ cell mutagenicity/Genotoxicity: Lack of data.
Carcinogenicity: Lack of data.
Reproductive toxicity: Lack of data.
Effects on or via lactation: Lack of data.
Specific target organ toxicity (single exposure): Lack of data.
Specific target organ toxicity (repeated exposure): Lack of data.
Aspiration hazard: Lack of data.

Symptoms

After inhalation: May cause irritations.
After contact with skin: May cause irritations.
After eye contact: May cause irritations.

General remarks

A corrosive effect cannot be ruled out because of the pH value.
The following applies to Phosphoric acid in general: LD50 Rat, oral: 1530 mg/kg.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful effects on water organisms by modification of pH-value.
Information about Phosphoric acid:
Forms corrosive mixtures with water even if diluted.
Fish toxicity: LC50 *Gambusia affinis*: 138 mg/L/96 h.

Water Hazard Class: 1 = slightly hazardous to water

Further details: The surfactant contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.2. Persistence and degradability

Further details: No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

AOX reference: Product does not contain organically bound halogen (AOX).

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number 11 01 06* = Wastes from chemical surface treatment and coating of metals and other materials: acids not otherwise specified
* = Evidence for disposal must be provided.

Recommendation: Special waste. Dispose of waste according to applicable legislation.

Contaminated packaging

Waste key number 15 01 02 = Plastic packaging

Recommendation: Dispose of waste according to applicable legislation.
Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA: 1805

14.2 UN proper shipping name

ADR/RID, IMDG, IATA: UN 1805, PHOSPHORIC ACID SOLUTION

14.3 Transport hazard class(es)

ADR/RID: Class 8, Code: C1

IMDG: Class 8, Code -

IATA: Class 8

14.4 Packing group

ADR/RID, IMDG, IATA: III

14.5 Environmental hazards

Marine pollutant - IMDG: No

Elektrolyte AE 26

Material number 22.026

Version 8 / Page 7 of 8

14.6 Special precautions for user**Land transport (ADR/RID)**

Warning board:	ADR/RID: Kemmler-number 80, UN number 1805
Hazard label	8
Limited quantities	5 L
EQ	E1
Contaminated packaging: Instructions	P001 IBC03 LP01 R001
Special provisions for packing together	MP19
Portable tanks: Instructions	T4
Portable tanks: Special provisions	TP1
Tank coding	L4BN
Tunnel restriction code:	E

**Sea transport (IMDG)**

EmS:	F-A, S-B
Special provisions	223
Limited quantities	5 L
EQ	E1
Contaminated packaging: Instructions	P001, LP01
Contaminated packaging: Provisions	-
IBC: Instructions	IBC03
IBC: Provisions	-
Tank instructions: IMO	-
Tank instructions: UN	T4
Tank instructions Provisions	TP1
Stowage and segregation	Category A.
Properties and observations	Miscible in water. Mildly corrosive to most metals.
Segregation group	1

Air transport (IATA)

Hazard	Corrosive
EQ	E1
Passenger Ltd.Qty.:	Pack.Instr. Y841 - Max.Qty. 1 L
Passenger:	Pack.Instr. 852 - Max.Qty. 5 L
Cargo:	Pack.Instr. 856 - Max.Qty. 60 L
Special Provisioning	A3 A803
ERG	8L

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations - Great Britain**

Hazchem-Code: 2R

National regulations - Germany

Storage class: 8B= Non-combustible corrosive substances

Water Hazard Class: 1 = slightly hazardous to water

Informations on working limitations:

Observe employment restrictions concerning young persons.

Elektrolyte AE 26

Material number 22.026

Version 8 / Page 8 of 8

National regulations - USA

Hazard rating systems



NFPA Hazard Rating:

Health: 1 (Slight)

Fire: 0 (Minimal)

Reactivity: 0 (Minimal)

HMIS Version III Rating:

Health: 1 (Slight)

Flammability: 0 (Minimal)

Physical Hazard: 0 (Minimal)

Personal Protection: X = Consult your supervisor

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
	X

15.2 Chemical Safety Assessment

No data available

SECTION 16: Other information

Further remarks

Wording of the R-phrases under paragraph 2 and 3:

R 34 = Causes burns.

Reason of change:

General revision

Group that issues data sheet

Contact person: see chapter 1, department responsible for information.

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.