

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 3.4.2025 Version: 10.4 Replaces version: 10.3 Language: en-DE Date of print: 9.4.2025

1 of 10

Page:

Elektrolyt AE 38

Material number 22.038

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Elektrolyt AE 38

UFI: F710-80EN-800P-3YK9

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Electrolytic/electrochemical metal marking for Aluminium.

1.3 Details of the supplier of the safety data sheet

Company name: Schilling Marking Systems GmbH

Street/POB-No.: In Grubenäcker 1
Postal Code, city: 78532 Tuttlingen

Germany

 www.schilling-marking.de

 E-mail:
 info@schilling-marking.de

 Telephone:
 +49 (0)7461 9472-0

 Telefax:
 +49 (0)7461 9472-28

Department responsible for information:

Frau Bianca Schilling,

Telephone: +49 (0)7461 9472-0 Email: info@schilling-marking.de

1.4 Emergency telephone number

GIZ-Nord, Germany Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Eye Irrit. 2; H319 Causes serious eye irritation.

2.2 Label elements

Labelling (CLP)



Signal word: Warning

Hazard statements: H319 Causes serious eye irritation.



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 3.4.2025
Version: 10.4
Replaces version: 10.3
Language: en-DE
Date of print: 9.4.2025

Elektrolyt AE 38

Material number 22.038 Page: 2 of 10

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P264 Wash hands and face thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

Electrolytic vapours may form during the electrochemical process.

Harmful if inhaled.

Liquid splashes can lead to irritations of the eyes.

A corrosive effect cannot be ruled out because of the pH value.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: mixture of water/mineral salt and complexing agent

Mixture of the substances listed below with non-hazardous additions

Hazardous ingredients:

Identifiers	Designation Classification	Content
EC No. 201-069-1 CAS 5949-29-1	Citric acid monohydrate	< 10 %
	Eye Irrit. 2; H319. STOT SE 3; H335.	
EC No. 200-662-2	Acetone	< 5 %
CAS 67-64-1	Flam. Liq. 2; H225. Eye Irrit. 2; H319. STOT SE 3; H336. (EUH066).	

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: First aider: Pay attention to self-protection!

If medical advice is needed, have product container or label at hand.

Take off immediately all contaminated clothing.

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing. Seek medical attention if problems persist.

Following skin contact: Take off immediately all contaminated clothing. Immediately clean with water and soap

followed by thorough rinsing. In case of skin reactions, consult a physician.



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Version: 10.4
Replaces version: 10.3
Language: en-DE
Date of print: 9.4.2025

3.4.2025

Revision date:

Elektrolyt AE 38

Material number 22.038 Page: 3 of 10

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids

apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently

seek the immediate attention of an ophthalmologist.

After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an

unconscious person. Do NOT induce vomiting. Immediately call a POISON

CENTER/doctor.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.

In the event of a fire, the following may be produced when the water evaporates: hydrogen chloride, sulphur oxides, phosphorus oxides, carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information:

Use fine water spray to cool endangered containers.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the

risk of explosion.

Do not allow water used to extinguish fire to enter drains, ground or waterways.

Fire residuals and contaminated extinguishing water must be disposed of in accordance

with the regulations of the local authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Avoid contact with the substance.

If possible, eliminate leakage. Provide adequate ventilation.

Wear appropriate protective equipment. Keep unprotected people away.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

If necessary, notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent materials such as sand, siliceus earth, acid- or universal binder. Store in special closed containers and dispose of according to ordinance. Final cleaning. Never return spills in original containers for re-use.



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 3.4.2025 Version: 10.4 Replaces version: 10.3 Language: en-DE Date of print: 9.4.2025

Elektrolyt AE 38

Material number 22.038 Page: 4 of 10

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe

mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear appropriate

protective equipment.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off immediately all contaminated clothing and wash it before reuse.

Work place should be equipped with a shower and an eye rinsing apparatus.

Precautions against fire and explosion:

Product is non-combustible Take standard precautions to prevent fire.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed. Store at room temperature. Keep container tightly closed

and in a well-ventilated place.

Keep container dry. Keep only in the original container. Protect from heat and direct sunlight. Protect from frost.

Store containers in upright position. Store at room temperature.

Hints on joint storage: Do not store together with: strong acids, alkalis.

Keep away from food, drink and animal feedingstuffs.

Storage class: 12 = Non-combustible liquids that cannot be assigned to any of the above storage classes

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Туре	Limit value
67-64-1	Acetone	Europe: IOELV: TWA Germany: TRGS 900 Kurzzeit Germany: TRGS 900 Langzeit	1.210 mg/m³; 500 ppm 2.400 mg/m³; 1.000 ppm 1.200 mg/m³; 500 ppm

Biological limit values:

CAS No.	Designation	Туре	Limit value	Parameter	Sampling
67-64-1	Acetone	Germany: TRGS 903, urine	50 mg/L creatinine	acetone	end of exposure or end of shift



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 3.4.2025 Version: 10.4 Replaces version: 10.3 Language: en-DE Date of print: 9.4.2025

Elektrolyt AE 38

Material number 22.038 Page: 5 of 10

8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.

Personal protection equipment

Occupational exposure controls

Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded. In

case of inadequate ventilation wear respiratory protection.

Hand protection: Protective gloves according to DIN EN ISO 374-1.

Glove material: Nitrile rubber-Breakthrough time: >480 min.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to DIN EN ISO 16321-1.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Take off immediately all contaminated clothing and wash it before reuse.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Work place should be equipped with a shower and an eye rinsing apparatus.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa liquid colour: colourless

Clear

Odour: Characteristic

Melting point/freezing point: $0 \, ^{\circ}\text{C}$ Boiling point: $100 \, ^{\circ}\text{C}$

Flammability:

Lower and upper explosion limit:

No data available

No data available

Not combustible

Auto-ignition temperature:

No data available

Decomposition temperature:

No data available

pH: 1,5

Kinematic viscosity: No data available

Water solubility: at 20 °C: Completely miscible

Partition coefficient n-octanol/water (log value):

No data available

Vapour pressure:

Density:

Relative vapour density:

Particle characteristics:

No data available
No data available
Not applicable



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 3.4.2025
Version: 10.4
Replaces version: 10.3
Language: en-DE
Date of print: 9.4.2025

Elektrolyt AE 38

Material number 22.038 Page: 6 of 10

9.2 Other information

Explosive properties:

Oxidizing characteristics:

No data available

No data available

Auto-ignition temperature: No data available

Additional information: Relative vapour density (air=1): > 1

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions..

10.3 Possibility of hazardous reactions

No dangerous reactions with proper and specified storage and handling.

10.4 Conditions to avoid

Protect from frost.

10.5 Incompatible materials

Strong acids and alkalis

10.6 Hazardous decomposition products

No decomposition when used properly.

Thermal decomposition: No data available



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 3.4.2025 Version: 10.4 Replaces version: 10.3 Language: en-DE Date of print: 9.4.2025

Elektrolyt AE 38

Material number 22.038 Page: 7 of 10

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological

data is available for the product as such.

Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Lack of data.

May cause irritations.

Serious eye damage/irritation: Eye Irrit. 2; H319 = Causes serious eye irritation.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data. Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

11.2 Information on other hazards

Endocrine disrupting properties:

No data available

Symptoms

In case of inhalation: Electrolytic vapours may form during the electrochemical process. Harmful if inhaled.

After contact with skin: A corrosive effect cannot be ruled out because of the pH value. After eye contact: Upon direct contact with eyes may cause burning, tearing, redness.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful effects on water organisms by modification of pH-value.

Water Hazard Class: 1 = slightly hazardous to water

12.2 Persistence and degradability

Further details: No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

12.4 Mobility in soil

No data available



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 3.4.2025 Version: 10.4 Replaces version: 10.3 Language: en-DE Date of print: 9.4.2025

Elektrolyt AE 38

Material number 22.038 Page: 8 of 10

12.5 Results of PBT and vPvB assessment

The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 11 01 05* = pickling acids

* = Evidence for disposal must be provided.

Recommendation: Special waste. Dispose of waste according to applicable legislation.

Package

Waste key number: 15 01 02 = Plastic packaging

Recommendation: Dispose of waste according to applicable legislation.

Non-contaminated packages may be recycled.

Section 14. Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:

Not restricted

14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN

model regulations.

Marine pollutant - IMDG: no



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 3.4.2025 Version: 10.4 Replaces version: 10.3 Language: en-DE Date of print: 9.4.2025

Elektrolyt AE 38

Material number 22.038 Page: 9 of 10

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 12 = Non-combustible liquids that cannot be assigned to any of the above storage classes

Water Hazard Class: 1 = slightly hazardous to water

Technical guidance air: 5.2.5 Information on working limitations:

Observe employment restrictions for young people.

Further regulations, limitations and legal requirements:

No data available

National regulations - EC member states

Labelling of packaging with <= 125mL content



Signal word: Warning

Hazard statements: not applicable

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Further regulations, limitations and legal requirements:

Product: Use restriction according to REACH annex XVII, no.: 3, 40, 75

Acetone: Regulation (EU) 2019/1148 (marketing and use of explosives precursors): listed

REGULATION (EC) 273/2004 (Drug precursors): Category 3

REGULATION (EC) 111/2005 (Trade with drug precursors): Category 3

15.2 Chemical Safety Assessment

For this substance a chemical safety assessment is not required.

SECTION 16: Other information

Classification procedure: Physical hazards: on basis of test data

Health hazards, environmental hazards: calculation method



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Revision date: 3.4.2025 Version: 10.4 Replaces version: 10.3 Language: en-DE Date of print: 9.4.2025

Elektrolyt AE 38 Material number 22.038

Material number 22.038 Page: 10 of 10

Wording of the H-phrases under paragraph 2 and 3:

H225 = Highly flammable liquid and vapour.

H319 = Causes serious eye irritation.

H335 = May cause respiratory irritation.

H336 = May cause drowsiness or dizziness.

EUH066 = Repeated exposure may cause skin dryness or cracking.

Reason of change: Changes in section 12: ecological information

General revision

Date of first version: 3.4.2009

Department issuing data sheet:

see section 1: Department responsible for information

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

AS/NZS: Australian Standards/New Zealand Standards

CAS: Chemical Abstracts Service

CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level DNEL: Derived no-effect level EC: European Community

EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods

EN: European Standard EQ: Excepted quantities EU: European Union Eye Irrit.: Eye irritation

Flam. Liq.: Flammable liquid IATA: International Air Transport Association

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

IMO: International Maritime Organization

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OEL: Occupational Exposure Limit Value

OSHA: Occupational Safety and Health Administration

PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration

 $\label{eq:REACH:Registration} \textbf{REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals}$

RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

STOT SE: Specific target organ toxicity - single exposure

TLV: Threshold Limit Value

TRGS: Technical Rules for Hazardous Substances vPvB: Very persistent and very bioaccumulative

WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.